



● Scope of performance-50Hz



● Performance table

Model	Driving motor		Q(l/min)	H (m)																	
	(kW)	(hp)		Q(m³/h)	20	40	60	80	100	120	140	160	200	250	300	330	350	400	450		
MS60/0.37	0.37	0.5	1.2	17.7	16.4	14.6	11.4														
MS60/0.55	0.55	0.75	2.4	22.7	21.3	19.5	16.2														
MS60/0.75	0.75	1	3.6	28.2	26.8	25	22														
MS100/0.55	0.55	0.75	6.0		17.8	16.7	15.4	14	12.2	9.9											
MS100/1.1	1.1	1.5	8.4		27.4	26.3	25	23.4	21.5	19.5	16.7										
MS160/0.75	0.75	1	12			15.5	15.3	15	14.8	14.3	13.8	12.5									
MS160/1.1	1.1	1.5	15			19.7	19.5	19.3	19.1	18.7	18.2	16.5									
MS250/1.1	1.1	1.5	18					15.8	15.6	15.4	15	14.3	13	11.5							
MS250/1.5	1.5	2	24						23.2	23	22.7	22.2	21.4	19.8	17.7						
MS250/2.2	2.2	3	30							28.2	27.8	27.5	27	26.2	24.6	22.6					
MS330/1.5	1.5	2	33								18.8	18.7	18.5	17.8	16.7	15	14	13.5	11.6		
MS330/2.2	2.2	3	40									22.5	22.2	22	21.5	20.3	18.7	17.5	16.8	14.8	12.3

● Scope of performance-60Hz



● Performance table

Model	Driving motor		Q(l/min)	H (m)																		
	(kW)	(hp)		Q(m³/h)	20	40	60	80	100	120	140	160	200	250	300	330	350	400				
MSS100/0.75	0.75	1	1.2		25	23	21	17	15	10												
MSS100/1.1	1.1	1.5	2.4		33	31	29	25	21	15												
MSS100/1.5	1.5	2	3.6		40	38	36	32	27	22												
MSS160/1.1	1.1	1.5	6.0					20.5	20	19.5	19	18	17	14								
MSS160/1.5	1.5	2	8.4						25.5	25	24.5	24	23	22	20							
MSS160/2.2	2.2	3	12							29	28.8	28.5	28	27.5	26	24						
MSS250/1.1	1.1	1.5	15								18.5	18	17.5	16.5	15	13	12	11				
MSS250/1.5	1.5	2	20									22.5	22	21.5	20.5	18.5	16	14	13			
MSS250/2.2	2.2	3	25										28.5	28	27.5	26.5	25	23	21.5	20.5		
MSS330/1.5	1.5	2	30											19.5	19	18.5	18	16.5	16	15	13.5	
MSS330/2.2	2.2	3	33												23	22.5	22	20.5	19.5	18.5	17.5	15